

Literaturübersicht zu Musiktherapie in der Neonatologie

Editorin: Monika Nöcker-Ribaupierre; Januar 2010

Englischsprachige Literatur

Abromeit, D. H. (2003). *The Newborn Individualized Developmental Care and Assessment Program (NIDCAP) as a Model for Clinical Music Therapy Interventions with Premature Infants*. Music Therapy Perspectives. American Music Therapy Association Vol. 21 Issue 2, USA.

Browning, C. A. (2001). *Music Therapy in Childbirth: Research in Practice*. Music Therapy Perspectives. American Music Therapy Association Vol. 19 Issue 2

Burke, M., Walsh, J., Oehler, J., & Gingras, J. (1995): Music therapy following suctioning: four case studies (7). *Neonatal Network*, 14 41-49.

Caine, J. (1991): The effect of music on the selected stress behaviors, weight, caloric and formula intake, and length of hospital stay of premature and low birth weight neonates in a newborn intensive care unit. *J of Music Therapy* 28,4:180-192.

Cassidy, J. & Ditty, K. (1998): Presentation of aural stimuli to newborns and premature infants: an audiological perspective. *Journal of Music Therapy*, 35 (2), 70 –97.

Cassidy, J. W., Standley, J.(1995): The effect of music listening on physiological responses of premature infants in the NICU. *J of Music Therapy*, 32(4):208-227.

Chapman, J. S.(1979): Influence of varied stimuli on development of motor patterns in the premature infant. In: G. Anderson & B. Raff(Eds.). *Newborn Behavioral Organization: Nurs Res and Impl* (61-80) New York, Alan Liss

Coleman, J. M., Pratt, R. R., Stoddard, R. A., Gerstmann, D. R., & Abel, H-H. (1997): The effects of male and female singing and speaking voices on selected behavioural and physiological measures of premature infants in the intensive care unit. *International Journal of Arts Medicine*, 5(2), 4-11.

Collins, S. K., Kuck, K. (1991): Music therapy in the neonatal intensive care unit. *Neonatal Network* 9(6):23-26.

Fernald, A. (1989): Intonation and communicative intent in mothers' speech to infants: Is the melody the message? *Child development*, 60, 1497-1510.

Hanson-Abromeit, D., & Colwell, C. (Eds.). (2008). *Medical Music Therapy for Pediatrics in Hospital Settings Using Music to Support Medical Interventions*. Maryland: American Music Therapy Association.

Hartling, L. Shaik, M.S., Tjolsvold, L., Leicht, R., Liang, Y., Kumar, M.: Music for medical indications in the neonatal period: a systematic review of randomised control trials. *Arch Dis Child Fetal Neonatal* 94, 349-354

Haslbeck, F. (2004): Music Therapy with preterm infants – theoretical approach and first practical experience. *Music Therapy Today* Vol.V(1) , <http://musictherapytoday.net>

Haslbeck, F. (2009). *Creative Music Therapy with Premature Infants and their Parents*. Session presented at the American Music Therapy Association Conference San Diego, CA.

Kaminski, J. & Hall, W. (1996): The effect of soothing music on neonatal behavioral states in the hospital newborn nursery. *Neonatal Network*, 15(1), 45-54.

Leonard, J. E. (1993): Music therapy: fertile ground for application of research in practice. *Neonatal Network*, 12 (2), 47-48.

Loewy, J. V., (Ed). (2000): *Music Therapy in the Neonatal Intensive Care Unit*. Boston, MA: The Louis & Lucille Armstrong Music Therapy Program, Beth Israel Medical Center.

Lorch, C., Lorch, V., Diefendorf, A. & Earl, P. (1994): Effects of stimulative and sedative music on systolic blood pressure, heart rate, and respiratory rate in premature infants. *Journal of Music Therapy*, 31(2), 111-126.

Malloch, S. (1999): Mothers and Infants and Communicative Musicality. *Rhythm, Musical Narrative and Origins of Human Communication*. Special Issue of *Musicae Scientiae*, 29-57.

Marchette, L., Main, R., Redick, E. & Shapiro, A. (1992): Pain reduction during neonatal circumcision. In R. Spintge & R. Droh (Eds.), *Music Medicine* (pp. 131-141). St. Louis, MO: MMB, Inc.

Nöcker-Ribaupierre, M. (1998): Premature birth and music therapy. In: Wigram, T., De Backer, J. (Eds): *Clinical Application of Music Therapy in Developmental Disability, Paediatrics and Neurology*. Jessica Kingsley Publ., London, 47- 68.

Nöcker-Ribaupierre, M. (1999): Short and longterm effects of the maternal voice on the behaviors of very low birth weight infants and their mothers as a basis for the bonding process. In: Pratt, R.R., Erdonmez Grocke, D.(Eds): *MusicMedicine 3*. The University of Melbourne, Victoria/ Au, 153-161

Nöcker-Ribaupierre, M. (2004): *The mother's voice – a bridge between two worlds*. In: Nöcker-Ribaupierre, M. (Ed.) (2004). *Music Therapy for Premature and Newborn Infants*. Barcelona Publishers

Nöcker-Ribaupierre, M. (Ed.) (2004): *Music therapy for premature and newborn infants*. Philadelphia: Barcelona Publ.

Nöcker-Ribaupierre, M. (2007): The therapeutic use of sound at the beginning of life. In: Frohne-Hagemann, I. (Ed): *Receptive Music Therapy*. Reichert, Wiesbaden

O`Gorman, S. (2006): The Infant`s Mother: Facilitating an Experience of Infant-Directed Singing with the Mother in Mind. *British Journal of Music Therapy* 20 (1), 22-30

Owens, L. D. (1979): The effects of music on the weight loss, crying, and physical movement of newborns. *Journal of Music Therapy*, 26 (2), 83-90.

Pratt, R. R (1999): Music and infant well-being. In: Pratt, R.R., Erdonmez Grocke, D. (Eds.): *MusicMedicine 3*. The University of Melbourne, Parkville/Au

Schwarz, F. (1998): Perinatal stress reduction, music and medical cost savings. *Journal of prenatal and perinatal psychology and health*, 12(1), 19-29.

Schwartz, F.J., Ritchie, R.(1999): Music listening in neonatal intensive care units. In: Dileo, C: *Music and Clinical Application*. American Music Therapy Ass.

Shoemark, H. (1994): The process of music therapy as it relates to the development of children with multiple disabilities. In A. Lem(Ed.) *Music Therapy Collection*. pp 45-49. Canberra: Ausdance.

Shoemark, H. (1999): Singing as the foundation for multi-modal stimulation of the older preterm infant. In R. Rebollo-Pratt & D. Erdonmez-Grocke (Eds.), *MusicMedicine 3: MusicMedicine and Music Therapy: Expanding horizons* (pp140-152). Melbourne Australia: Melbourne University Press.

Shoemark, H. (1999): Indications for the inclusion of music therapy in the care of infants with bronchopulmonary dysplasia. In *Clinical Applications of Music Therapy in Developmental Disability, Paediatrics and Neurology*, Wigram, T. and De Backer, J., eds. London: Jessica Kingsley Publishers, 32-46.

Standley, J.M., Madsen, C.K. (1990): Comparison of infant preferences and responses to auditory stimuli: Music, mother and other female voice. *Journal of Music Therapy*, XXVII (2):54-97

Standley, J.M. (1993): The effect of music vs mother`s voice on NBICU infant`s oxygen saturation levels and frequency of bradycardia/apnea episodes. *Music Therapy Congress, Spain*, communication.

Standley, J. (1996): Music research in medical/dental treatment: An update of a prior meta-analysis. In CE Furman (Ed.), *Effectiveness of music therapy procedures: Documentation of research and clinical practice* (pp. 1-60). Silver Spring MD: National Association for Music Therapy.

Standley, J.M., Moore, R. (1995): Therapeutic effects of music and mother`s voice on premature infants. *Pediatric Nursing* 1: 90-95

Standley, J.M. (1998): The effect of music and multimodal stimulation on responses of premature infants in neonatal intensive care. *Pediatric Nursing*, 24 (6), 532-538.

Standley, J.M. (1998): Music Therapy Research with premature infants: Clinical implications. In: Pratt, R.R., Erdonmez Grocke, D. (Eds): *MusicMedicine 3*, University of Melbourne, Victoria, Au, 131-139

Standley, J.M. (2000): The effect of contingent music to increase non-nutritive sucking of premature infants. *Pediatric Nursing*, 26 (5), 494-499.

Standley, J.M. (2002): A Meta-Analysis of the Efficacy of Music Therapy for Premature Infants. *J of Pediatric Nursing*, 17 (2), 107-113

Standley, J.M. (2004): *Music Therapy with Premature Infants: Research and Developmental Interventions*. Silver Springs, MD: The American Music Therapy Association

Stewart, K. (2009): PATTERNS – A Model for Evaluating Trauma in NICU Music Therapy: Part I – Theory and Design. *Music and Medicine* 1 (1), 29-40

Stewart, K. (2009): PATTERNS – A Model for Evaluating Trauma in NICU Music Therapy: Part II - Treatment Parameters. *Music and Medicine* I (2) 123-128

Whipple, J. (2000): The effect of parent training in music and multimodal stimulation on parent-neonate interactions in the neonatal intensive care unit. *Journal of Music Therapy*, 37 (4), 250-268.

Whipple, J. (2005). *Music and Multimodal Stimulation as Developmental Intervention in Neonatal Intensive Care*. Music Therapy Perspectives. American Music Therapy Association Vol. 23 Issue 2

Deutschsprachige Literatur

Albrecht, K., Zimmer, M.-L. (2000): Auditive Stimulation bei Frühgeborenen. In: Lison, A. E., Diehl, H. A. (Ed.) *Medizinische Forschung und Gesundheitswissenschaften in Bremen*. Pabst, Lengerich

Bissegger, M. (1999): Musiktherapie bei frühgeborenen Kindern und ihren Müttern. *Unveröffentlichtes Script*, Verwaltungsgesellschaft der Andreas-Tobias-Kind-Stiftung, Hamburg

Bissegger, M. (2000): Grenzerfahrungen bei frühgeborenen Kindern und ihren Müttern. In: *Beiträge zur Musiktherapie. Kairos V*. Huber, Bern

Esslinger, M. (2008): Musiktherapie mit Säuglingen im neonatalen Drogenentzug. Abschlussarbeit der bam, Zürich. Unter www.musiktherapie.de

Esslinger, M. (2009): Musiktherapie mit Säuglingen im neonatalen Drogenentzug. *Musiktherapeutische Umschau 30. Bd 4, 293-310*

Haslbeck, F. (2001): Ansätze der Musiktherapie in der Betrachtung von Frühgeborenen – Literaturübersicht und Beobachtungen aus der Praxis. *Unveröffentlichte Diplomarbeit der Universität Witten-Herdecke*. <http://www.musictherapyworld.de/modules/archives> (2005)

Haslbeck, F. (2009): Musiktherapie mit Frühgeborenen und ihren Eltern – Ansätze, Empirie und Erfordernisse. *Musiktherapeutische Umschau 30. Bd 4, 311-321*

Nöcker-Ribaupierre, M. (1992): Pränatale Wahrnehmung akustischer Phänomene: Ein Grundlage für die Entwicklung der menschlichen Bindungs- und Kommunikationsfähigkeit. *Musiktherapeutische Umschau 13, 239-248*

Nöcker-Ribaupierre, M. (1994): Zur Entwicklung des subjektiven Erlebens: Ein musiktherapeutisches Konzept für die Behandlung frühgeborener Kinder. *Int J Prenatal and Perinatal Psych and Med. Vol 6,2*

Nöcker-Ribaupierre, M. (1995): *Auditive Stimulation nach Frühgeburt*. G. Fischer, Stuttgart. Neu: www.musictherapyworld.net/archive

Nöcker-Ribaupierre, M. (1999): Musiktherapie als Weg für die Mutter-Kind-Bindung. *Frühförderung interdisziplinär 18, 3*

Nöcker-Ribaupierre, M. (2001): Entwicklung und Bedeutung des Hörens. In: *Musik und Gesundheit. 1* (11-14) Eres, Lilienthal

Nöcker-Ribaupierre, M. (2003): Die Mutterstimme - eine Brücke zwischen zwei Welten. In: Nöcker-Ribaupierre, M. (Hrsg.): *Hören - Brücke ins Leben. Musiktherapie mit früh- und neugeborenen Kindern*. Vandenhoeck & Ruprecht, Göttingen

Nöcker-Ribaupierre, M. (Hrsg.) (2003): *Hören – Brücke ins Leben. Musiktherapie für früh- und neugeborene Kinder. Forschung und klinische Praxis*. Vandenhoeck & Ruprecht, Göttingen

Nöcker-Ribaupierre, M.; Zimmer, M.-L. (2004): *Förderung zu früh geborener Kinder mit Musik und Stimme*. München: Reinhardt

Nöcker-Ribaupierre, M. (2004): Zur therapeutischen Verwendung von Klängen in der frühesten Lebenszeit. In: Frohne-Hagemann, I.(Hg): *Rezeptive Musiktherapie*. Reichert, Wiesbaden

Nöcker-Ribaupierre, M. (2005): Die Mutterstimme und ihre Bedeutung für die frühkindliche Entwicklung – eine Literaturübersicht. In. Müller-Oursin, B.: *Ich wachse, wenn ich Musik mache. Musiktherapie mit chronisch kranken und von Behinderung bedrohten Kindern* (63-74). Reichert, Wiesbaden

Nöcker-Ribaupierre, M. (2009): Hören: Entwicklung und Bedeutung. In. Decker-Voigt, H.H., Weymann, E. (Hrsg): *Lexikon Musiktherapie*. 2. Aufl.. Hogrefe, Göttingen

Vonderlin, E., Nöcker-Ribaupierre, M., Wilken, M (2009): Unterstützende Behandlungsangebote in der Neonatologie. *Monatsschr Kinderheilkunde, Springer*.

Zimmer, M.L. (2004): Zu frühgeborene Kinder haben zu früh geborene Mütter. In: Nöcker-Ribaupierre, M. (Hrsg): *Hören – Brücke ins Leben. Musiktherapie für früh- und neugeborene Kinder. Forschung und klinische Praxis*. Vandenhoeck & Ruprecht, Göttingen