

## Literatur zu Veronika Busch

### Potenzial von Musiktherapie in der Behandlung von Depression aus musikpsychologischer Sicht

#### The Potential of Music Therapy in treating Depression from a Music Psychology Perspective

Musiktherapeutische Umschau, Band 35, Heft 02/2014, S. 104–113

- Ali, S. O., Peynircioglu, Z.F. (2010): Intensity of Emotions Conveyed and Elicited by Familiar and Unfamiliar Music. *Music Perception* 27(3), 177–182.
- Altenmüller, E., Marco-Pallares, J., Munte, T. F., Schneider, S. (2009): Neural reorganization underlies improvement in stroke-induced motor dysfunction by music-supported therapy. *Annals of the New York Academy of Sciences*, 1169, 395–405.
- Aust, S., Filip, K., Koelsch, S., Grimm, S., Bajbouj, M. (2013): Music in depression: Neural correlates of emotional experience in remitted depression. *World Journal of psychiatry* 3(2), 8–17.
- Bachorik, J. P., Bangert, M., Loui, P., Larke, K., Berger, J., Rowe, R., Schlaug, G. (2009): Emotion in Motion: Investigating the Time-Course of Emotional Judgments of Musical Stimuli. *Music Perception* 26(4), 355–364.
- Bailes, F., Dean, R. T. (2012): Comparative Time Series Analysis of Perceptual Responses to Electroacoustic Music. *Music Perception* 29(4), 359–375.
- Balkwill, L., Thompson, W. F. (1999): A cross-cultural investigation of the perception of emotion in music: Psychophysical and cultural cues. *Music Perception* 17(1), 43–64.
- Batt-Rawden, K. B., DeNora, T. (2005): Music and Informal Learning in Everyday Life. *Music Education Research* 7(3), 289–304.
- Beck, R. J., Cesarion, T. C., Yousefi, A., Enamoto, H. (2000): Choral Singing, Performance Perception, and Immune System Changes in Salivary Immunoglobulin A and Cortisol. *Music Perception* 18(1), 87–106.
- Blood, A.J., Zatorre, R.J. (2001): Intensely Pleasurable Responses to Music Correlate with Activity in Brain regions Implicated in Reward and Emotion. *Proceedings of the National Advances of Sciences* 98(2), 11818–11823.
- Bodner, E., Iancu, I., Gilboa, A., Sarel, A., Mazor, A., Amir, D. (2007): Finding words for emotions: The reactions of patients with major depressive disorder towards various musical excerpts. *Arts in Psychotherapy* 34, 142–150.
- Böker, H., Grimm, S. (2012): Emotion und Kognition bei depressiv Erkrankten. In: H. Böker, E. Seifritz (Hg.): *Psychotherapie und Neurowissenschaften. Integration – Kritik – Zukunftsaussichten*. S. 309–351. Bern: Huber.
- Bschorr, T., Ising, M., Bauer M., Lewitzka, U., Skerstupeit, M., Müller-Oerlinghausen, B., Baethge, C. (2004): Time experience and time judgment in major depression, mania and healthy subjects. A controlled study of 93 subjects. *Acta Psychiatrica Scandinavia* 109(3), 222–229.
- Bunt, L., Pavlicevic, M. (2001): Music and emotion: Perspectives from music therapy. In: P.N. Juslin, J.A. Sloboda (Hg.): *Music and emotion: Theory and research*. S. 181–20. Oxford: Oxford University Press.
- Busch, V. (2005): *Tempopercorance und Expressivität. Eine Studie zwischen Musikpsychologie und Musiktherapie*. Frankfurt/Main: Peter Lang Verlag.
- Bygren, L.O., Johansson, S.-E., Konlaan, B.B., Grjibovski, A.M., Wilkinson, A.V., Sjöström, M. (2009): Attending cultural events and cancer mortality: a Swedish cohort study. *Arts & Health* 1(1), 64–73.

- Clift, S. (2012): Singing, wellbeing and health. In R. MacDonald, G. Kreutz, L. Mitchell (Hg.): *Music, Health and Wellbeing*. S. 113–124. Oxford: Oxford University Press.
- Clift, S., Hancox, G., Morrison, I., Hess, B., Stewart, D., Kreutz, G. (2008): Choral singing, wellbeing and health: Findings from a cross-national survey. Sidney De Haan Research Centre for Arts and Health, Canterbury Christ Church University.
- Cuyppers, K., Krokstad, S., Lingaas Holmen, T., Skjei Knudtsen, M., Olov Bygren, L., Holmen, J. (2012): Patterns of receptive and creative cultural activities and their association with perceived health, anxiety, depression and satisfaction with life among adults: the HUNT study, Norway. *Journal of Epidemiology and Community Health* 66(8), 698–703.
- Emrich, H.M. (1994): Depression und »Herrschaft der Zeit«: Erklärungsansätze aus Sicht des Psychiaters. *Aus Forschung und Medizin: Mensch und Zeit* 9(1), 39–52.
- Fachner, J., Gold, C., Erkkilä, J. (2013): Music therapy modulates fronto-temporal activity in the rest-EEG in depressed clients. *Brain Topography* 26(2), 338–354.
- Fritz, T., Jentschke, S., Gosselin, N., Sammler, D., Peretz, I., Turner, R., Friederici, A.D., Koelsch, S. (2009): Universal recognition of three basic emotions in music. *Current Biology* 19, 573–576.
- Gabrielson, A. (2011): On strong experiences with music. *Music is much more than just music*. Oxford: Oxford University Press.
- Grewe, O., Kopiez, R., Altenmüller, E. (2009): The Chill Parameter: Goose Bumps and Shivers as Promising Measures in Emotion Research. *Music Perception* 27(1), 61–74.
- Hatfield, E., Cacioppo, J.T., Rapson, R.L. (1994): *Emotional contagion*. Cambridge: Cambridge University Press.
- Hauck, M., Metzner, S., Rohlffs, F., Lorenz, J., Engel, A.K. (2013): The influence of music and music therapy on neuronal pain induced oscillations measured by MEG. *Pain* 154(4), 539–47.
- Hoffmann, P. (2003): Phrasing as expression of time and timing in improvised music therapy. In: R. Kopiez, A.C. Lehmann, I. Wolther, C. Wolf (Hg.): *Proceedings of the Fifth Triennial ESCOM Conference*. S. 50–54. Hanover: Hanover University of Music and Drama.
- Hoffmann, P. (2002): »Zur (Wieder-)Entdeckung der Zeit«. Die Bedeutung des Phrasierens in Improvisationen der Musiktherapie – eine Untersuchung an Improvisationen von Patienten der Erwachsenenpsychiatrie. Dissertation Universität Witten-Herdecke, Bereich Medizin.
- Hunter, P.G., Schellenberg, E.G., Schimmack, U. (2010): Feelings and Perceptions of Happiness and Sadness Induced by Music: Similarities, Differences, and Mixed Emotions. *Psychology of Aesthetics, Creativity, and the Arts* 4(1), 47–56.
- Huron, D. (2006): *Sweet anticipation: Music and the psychology of expectation*. Cambridge MA: MIT Press.
- Huron, D., Margulis, E.H. (2010): Musical expectancy and thrills. In: P.N. Juslin, J.A. Sloboda (Hg.): *Handbook of music and emotion: Theory, research, applications*. S. 575–604. Oxford: Oxford University Press.
- Juslin, P.N. (2001): Communicating emotion in music performance: A review and a theoretical framework. In: P.N. Juslin, J.A. Sloboda (Hg.): *Music and emotion: Theory and research*. S. 309–337. New York: Oxford University Press.
- Koelsch, S., Stegemann, T. (2012): The brain and positive biological effects in health and clinical populations. In: R.A.R. MacDonald, G. Kreutz, L. Mitchell (Hg.): *Music, Health, and Wellbeing*. S. 436–456. Oxford: Oxford University Press.
- Lamont, A. (2011): University students' strong experiences of music: Pleasure, engagement, and meaning. *Musicae Scientiae* 15(2), 229–249.
- Lasalvia, A., Zoppi, S., Van Bortel, T., et al., and the ASPEN/INDIGO Study Group (2012): Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. *Lancet*; published online Oct 18. [http://dx.doi.org/10.1016/S0140-6736\(12\)613798](http://dx.doi.org/10.1016/S0140-6736(12)613798).
- LeDoux, J.E. (1998): *The emotional brain: The mysterious underpinnings of emotional life*. London: Weidenfeld & Nicholson.
- Lundqvist, L.O., Carlsson, F., Hilmersson, P., Juslin, P.N. (2009): Emotional responses to music: experience, expression, and physiology. *Psychology of Music* 37(1), 61–90.

- MacDonald, R.A.R., Kreutz, G., Mitchell, L. (2012): *Music, health, and wellbeing*. Oxford: Oxford University Press.
- Malloch, S.N. (1999): Mothers and infants and communicative musicality. *Musicae Scientiae* (Special Issue 1999–2000), 29–57.
- Mayberg, H.S. (1997): Limbic-cortical dysregulation: A proposed model of depression. *Journal of Neuropsychiatry & Clinical Neurosciences*, 9, 471–481.
- Mayberg, H.S. (2003): Modulating dysfunctional limbic-cortical circuits in depression: towards development of brain-based algorithms for diagnosis and optimised treatment. *British Medical Bulletin* 65, 193–207.
- Menon, V., Levitin, D.J. (2005): The rewards of music listening: response and physiological connectivity of the mesolimbic system. *NeuroImage* 28,175–184.
- Merker, B. (2003): Musik an der Wurzel des Menschseins In: H.G. Bastian, G. Kreutz (Hg.): *Musik und Humanität. Interdisziplinäre Grundlagen für (musikalische) Erziehung und Bildung*. S. 108–119. Mainz: Schott.
- Metzner, S. (2007): Von Klippe zu Klippe geworfen, jahrlang ins Ungewisse hinab. *Musiktherapie und Depression*. In: S. Metzner (Hg.): *Nachhall. Musiktherapeutische Fallstudien*. S. 83–112. Gießen: Psychosozialverlag.
- Metzner, S. (2014): *Musiktherapie bei Depression: Forschungsergebnisse aus klinischer Sicht*. *Musiktherapeutische Umschau* 35 (1), 16–27.
- Molnar-Szakacs, I., Overy, K. (2006): Music and mirror neuros: from motion to 'emotion. *Social Cognitive and Affective Neuroscience* 1(3), 235–241.
- Münzel, K. (1993): *Depression und das Erleben von Dauer: Zeitpsychologische Grundlagen und Ergebnisse klinischer Studien*. Berlin: Springer.
- Mundt, C., Richter, P., van Hess, H., Stumpf, T. (1998): Zeiterleben und Zeitschätzung depressiver Patienten. *Der Nervenarzt* 69, 38–45.
- Panksepp, J. (1995): The emotional source of ›chills‹ induced by music. *Music Perception* 13, 171–207.
- Panksepp, J. (1998): *Affective Neuroscience: The foundations of human and animal emotions*. Oxford: Oxford University Press.
- Papousek, M. (1996): Intuitive parenting: A hidden source of musical stimulation in infancy. In: I. Deliège, J.A. Sloboda (Hg.): *Musical beginnings: Origins and development of musical competence*. S. 88–112. Oxford: Oxford University Press.
- Punanan, M., Eerola, T., Erkkilä, J. (2011): Biased emotional recognition in depression: Perception of emotions in music by depressed patients. *Journal of Affective Disorders* 130, 118–126.
- Schlaug, G., Jäncke, L., Huang, Y., Staiger, J.F., Steinmetz, H. (1995): Increased Corpus Callosum Size In Musicians. *Neuropsychologia* 33(8), 1047–1055.
- Schlaug, G., Marchina, S., Norton, A. (2009): Evidence for plasticity in white-matter tracts of patients with chronic Broca's aphasia undergoing intense intonation-based speech therapy. *Annals of New York Academy of Sciences*, 1169, 385–394.
- Schramm, H. (2005): *Mood Management durch Musik. Die alltägliche Nutzung von Musik zur Regulierung von Stimmungen*. Köln: Halem.
- Sloboda, J.A., Juslin, P.N. (2005): Affektive Prozesse: Emotionale und ästhetische Aspekte musikalischen Verhaltens. In: T.H. Stoffer, R. Oerter (Hg.): *Allgemeine Musikpsychologie*. S. 767–841. Göttingen: Hogrefe.
- Stern, D.N. (2000; 1985): *The Interpersonal World of the Infant*. New York: Basic Books.
- Stern, D.N. (2010): Forms of vitality. Exploring dynamic experience in psychology, the arts, psychotherapy, and development. Oxford: Oxford University Press.
- Theorell, T., Kreutz, G. (2012): Epidemiological Studies of the relationship Between Musical Experiences and Public Health. In: R.A.R. MacDonald, G. Kreutz, L. Mitchell (Hg.): *Music, Health, and Wellbeing*. S. 424–435. Oxford: Oxford University Press.
- Theunissen, M. (1992): *Negative Theologie der Zeit*. Frankfurt/Main: Suhrkamp.
- Trevarthen, C. (1979): Communication and cooperation in early infancy: A description of pri-

- mary intersubjectivity. In: M. Bullowa (Hg.): *Before Speech: The Beginning of Interpersonal Communication*. S. 321–347. New York: Cambridge UP.
- Van der Zwaag, M.D., Westerink, J.H.D.M., van den Broek, E.L. (2011): Emotional and psychological responses to tempo, mode, and percussiveness. *Musicae Scientiae* 15(2), 250–269.
- Wallin, N.L., Merker, B., Brown, S. (1999): *The Origins of Music*. Cambridge, Mass: MIT Press.
- Warren, J.E., Sauter, D.A., Eisner, F., Wiland, J., Dresner, M.A., Wise, R.J.S., Rosen, S., Scott, S.K. (2006): Positive emotions preferentially engage an auditory-motor »mirror« system. *The Journal of Neuroscience* 26(50), 13067–13075.
- Wiebking, C., Bauer, A., de Greck, M., Duncan, N.W., Tempelmann, C., Northoff, G. (2010): Abnormal body perception and neural activity in the insula in depression: an fMRI study of the depressed »material me«. *World J Biological Psychiatry* 11(3), 538–549.
- Wilkinson, A.V., Bygren, L.O., Johansson, S.-E., Konlaan, B.B., Grijbovski, A.M., Sjöström, M. (2009): Attending cultural events and cancer mortality: A Swedish cohort study. *Arts & Health* 1(1), 63–71.
- Yamamoto, M., Naga, S., Shimizu, J. (2007): Positive musical effects on two types of negative stressful conditions. *Psychology of Music* 35(2), 249–275.
- Zillmann, D. (1988): Mood management through communication choices. *American Behavioral Scientist* 31(3), 327–341.